



The Coal  
Authority

200 Lichfield Lane  
Mansfield  
Nottinghamshire  
NG18 4RG

T: 01623 637 119 (Planning Enquiries)

E: [planningconsultation@coal.gov.uk](mailto:planningconsultation@coal.gov.uk)

W: [www.gov.uk/coalauthority](http://www.gov.uk/coalauthority)

**For the attention of: Ellie Thornhill – Case Officer**

Kirklees Council

[By email: DC.Admin@kirklees.gov.uk]

5<sup>th</sup> July 2024

Dear Ms Thornhill

**Re: Planning Application 2024/62/91316/E**

**Conversion of existing dwelling and outbuilding to create 6 apartments and erection of 17 dwellings; Clough House, 236 Leeds Road, Birstall, Batley, WF17 0HW**

Thank you for your notification of 25 June 2024 seeking the views of the Coal Authority on the above.

The Coal Authority is a non-departmental public body sponsored by the Department for Energy Security and Net Zero. As a statutory consultee, the Coal Authority has a duty to respond to planning applications and development plans in order to protect the public and the environment in mining areas.

The Coal Authority Response: **Fundamental Concern**

I have reviewed the site location plans, the proposals and the supporting information submitted and available to view on the LPA website. I can confirm that the site falls within the defined Development High Risk Area and that a Coal Mining Risk Assessment is required to be submitted to support this application.

The Coal Authority records that the site is in an area of likely historic unrecorded coal workings at shallow depth. If shallow coal workings are present then these may pose a potential risk to surface stability and public safety.

In accordance with the agreed risk-based approach to development management in the defined Development High Risk Areas, the applicant should be informed that they need to submit a Coal Mining Risk Assessment Report to support this planning application. As no relevant information has been submitted at this time the Coal Authority **objects** to this planning application.

***Please draw the applicants attention to the fact that the Coal Mining Risk Assessment needs to interpret and assess the coal mining risks present and should be based on up-to-date information on the recorded coal mining features on site. If the applicant merely submits a Non Residential Coal Mining Report, an Enviro All-in-One Report or other factual report, obtained from [www.groundstability.com](http://www.groundstability.com) or a similar product from private land search suppliers, this will not overcome our objection to the planning application.***

The Coal Authority would be very pleased to receive for further consultation and comment any additional information submitted by the applicant.

Please do not hesitate to contact me if you would like to discuss this matter further.

Yours sincerely,

**Peter Woodcock** | *BSc (Hons), AssocRTPI*  
**Assistant Planning and Development Manager**

### **General Information for the Applicant**

A variety of Coal Mining Report products which provide baseline information on coal mining legacy risks are available from [www.groundstability.com](http://www.groundstability.com). A Coal Mining Risk Assessment should then take the information contained in the Coal Mining Report and interpret the risks identified specifically in relation to the proposed development.

This coal mining information you obtain from a Non-Residential Coal Mining Report, an Enviro-All-in-One Report or other factual report should then be used to assess whether or not past mining activity poses any risk to the development proposal and, where necessary, propose mitigation measures to address any issues of land instability. This could include further intrusive investigation on site to ensure that the Local Planning Authority has sufficient information to determine the planning application.

The Coal Mining Risk Assessment should be prepared by a “competent body”. Links to the relevant professional institutions of competent bodies and guidance on how to produce a Coal Mining Risk Assessment can be found at:

[www.gov.uk/planning-applications-coal-mining-risk-assessments](http://www.gov.uk/planning-applications-coal-mining-risk-assessments)

Under the Coal Industry Act 1994 any intrusive activities which disturb or enter any coal seams, coal mine workings or coal mine entries (shafts and adits) require the prior written permission of the Coal Authority since these activities can have serious public health and safety implications. Such activities could include site investigation boreholes, excavations for foundations, piling activities, other ground works and any subsequent treatment of coal mine workings and coal mine entries for ground stability purposes. Failure to obtain permission to enter or disturb our property will result in the potential for court action. Application forms for Coal Authority permission and further guidance can be obtained from The Coal Authority’s website at: [www.gov.uk/get-a-permit-to-deal-with-a-coal-mine-on-your-property](http://www.gov.uk/get-a-permit-to-deal-with-a-coal-mine-on-your-property).

Any form of development over or within the influencing distance of a mine entry can be dangerous and has the potential for significant risks if not undertaken appropriately. For more information with regard to this issue, the Coal Authority’s adopted policy, Development and Mine Entries, can be found here:

[www.gov.uk/government/publications/building-on-or-within-the-influencing-distance-of-mine-entries](http://www.gov.uk/government/publications/building-on-or-within-the-influencing-distance-of-mine-entries)

## **Disclaimer**

The above consultation response is provided by the Coal Authority as a statutory consultee and is based upon the latest available data and the electronic consultation records held by the Coal Authority since 1 April 2013. The comments made are also based on the information provided to the Coal Authority by the Local Planning Authority and/or information that has been published on the Council’s website for consultation purposed in relation to this specific planning application. The views and conclusions contained in this

response may be subject to review and amendment by the Coal Authority if additional or new data/information (such as a revised Coal Mining Risk Assessment) is provided by the Local Planning Authority or the applicant for consultation purposes.

